

That's Gler.  
Glorious. Limitless. Elegant. Revolutionary.



Gler

Brand Profile .

Gler, headquartered in Singapore, committed to provide flexible power solutions to global customers in the specialised field of power tracks. Gler has 20 years of extensive experience in the power track industry.

Gler S.R.L, a wholly-owned subsidiary based in Turin, Italy, part of Gler's global strategic layout to better serve the Global market. This enables us to better serve the international market and provide our customers with more convenient and quality services.

Gler is driven by technological innovation, with products featuring the latest technological achievements and cutting-edge fashion design concepts.

Design of Gler

## Hollow-out Design

The unique sense of layering and delicate artistic feeling brought by hollow-out design, Matisse turns the power track into a piece of art.





6

Equipped with advanced surge and overload protection features, it provides continuous safety for you and your family.




7


Ratchet Adapter Design  
Rotate the adapter 90° clockwise  
LED light will lights up







Returning from art to the essence of the product, the Matisse Series is specially equipped with a one-touch switch for you, which can be easily turned off with a gentle touch. Its leakage protection and overload protection features are always there to safeguard the safety of you and your family.



### Ratchet Adapter Design

The adapter features a sophisticated ratchet design that emits a crisp and pleasant clicking sound when turned, providing a high-end and tactile user experience



## Magnetic Mounting

Innovative patented magnetic technology brings you a convenient installation experience. No tools, no complicated steps required. With just a simple click or push, installation and removal are effortlessly completed.

Magnetic Mounting

## MATISSE SERIES



Matisse series - Silver

Feature  
Hollow-out design  
One-touch switch  
Surge and overload protection  
Installation by magnetic mounting plate

Electrical performance  
32A 250V~8000W max

Matisse series adaptors

Terminal : Left / Right  
Length:550mm/757mm  
MA-W-SR55L-SG3 / MA-W-SR55R-SG3  
MA-W-SR76L-SG4 / MA-W-SR76R-SG4



Matisse series - Grey

Feature  
Hollow-out design  
One-touch switch  
Surge and overload protection  
Installation by magnetic mounting plate

Electrical performance  
32A 250V~8000W max

Matisse series adaptors

Terminal : Left / Right  
Length:550mm/757mm  
MA-W-GY55L-SG3 / MA-W-GY55R-SG3  
MA-W-GY76L-SG4 / MA-W-GY76R-SG4



Matisse series - Black

Feature  
Hollow-out design  
One-touch switch  
Surge and overload protection  
Installation by magnetic mounting plate

Electrical performance  
32A 250V~8000W max

Matisse series adaptors

Terminal : Left / Right  
Length:550mm/757mm  
MA-W-BK55L-SG3 / MA-W-BK55R-SG3  
MA-W-BK76L-SG4 / MA-W-BK76R-SG4



Matisse series - Green

Feature  
Hollow-out design  
One-touch switch  
Surge and overload protection  
Installation by magnetic mounting plate

Electrical performance  
32A 250V~8000W max

Matisse series adaptors

Terminal : Left / Right  
Length:550mm/757mm  
MA-W-GN55L-SG3 / MA-W-GN55R-SG3  
MA-W-GN76L-SG4 / MA-W-GN76R-SG4

## Raffaello series   Ultra Slim & Mini






Much like the works of Raffaello Santi, the product bestows the Raffaello series with a unique charm of serenity, harmony, symmetry, and a sense of perfection and tranquility.




Rotate the adapter 90° clockwise  
LED light will lights up



Safety door design






Keyboard-style safety door

6 mm<sup>2</sup> phosphor bronze conductor

## Magnetic Mounting


Innovative patented magnetic technology brings you a convenient installation experience. No tools, no complicated steps required. With just a simple click or push, installation and removal are effortlessly completed.

## Magnetic Mounting









## Recessed

Nestled within the planes of cabinet or wall,  
clean and simple.



Like the works of Raffaello Santi, the Raffaello series exudes tranquility, harmony, and symmetry; perfection and serenity are the unique qualities endowed by the products in the Raffaello collection


## Tiziano series

Like the works of the Tiziano, the Tiziano series exudes grace and softness, which are the unique qualities bestowed upon the Tiziano collection by its products.





The surface design of the Tiziano series uses a zircon sand oxidation process, offering a skin-like touch.





Gracefully integrated into the surface of the cabinet or wall, offering a sleek, three-dimensional aesthetic. Featuring an infrared sensor, a simple wave of your hand reveals the soft beauty of light, while dual USB ports provide versatile functionality to meet various needs.



1 USB charger Type A+C



Equipped with an infrared sensor, a simple wave of your hand unveils the soft elegance of light. Dual USB ports are designed to meet a wide range of needs, enhancing both functionality and convenience.

Tiziano series



Tiziano Wall-mounted

Color : Black  
Rated power : 8000W  
Rated voltage : 250V  
Rated current : 32A  
Terminal : Left / Right  
Length:500mm/600mm/750mm/1000mm



Tiziano Wall-mounted

Color : White  
Rated power : 8000W  
Rated voltage : 250V  
Rated current : 32A  
Terminal : Left / Right  
Length:500mm/600mm/750mm/1000mm



Tiziano Wall-mounted with USB charger

Color : White  
Rated power : 8000W  
Rated voltage : 250V  
Rated current : 32A  
Terminal : Left / Right  
Length : 500mm/600mm/750mm/1000mm  
USB : Type A+C



Tiziano Wall-mounted with USB charger

Color : Black  
Rated power : 8000W  
Rated voltage : 250V  
Rated current : 32A  
Terminal : Left / Right  
Length : 500mm/600mm/750mm/1000mm  
USB : Type A+C



Tiziano Adapter

Model : VK-BR-C  
Color : Black  
Rated power : 3250W  
Rated voltage : 250V  
Rated current : 13A



Tiziano Adapter

Model : VK-BR-C  
Color : White  
Rated power : 3250W  
Rated voltage : 250V  
Rated current : 13A

Raffaello series



Raffaello Wall-mounted

Color : Black  
Rated power : 8000W  
Rated voltage : 250V  
Rated current : 32A  
Terminal : Left / Right  
Length:500mm/600mm/750mm/1000mm



Raffaello Wall-mounted

Color : White  
Rated power : 8000W  
Rated voltage : 250V  
Rated current : 32A  
Terminal : Left / Right  
Length:500mm/600mm/750mm/1000mm



Raffaello Wall-mounted

Color : Grey  
Rated power : 8000W  
Rated voltage : 250V  
Rated current : 32A  
Terminal : Left / Right  
Length:500mm/600mm/750mm/1000mm



Raffaello Recessed

Color : Black  
Rated power : 8000W  
Rated voltage : 250V  
Rated current : 32A  
Terminal : Left / Right  
Length:500mm/600mm/750mm/1000mm



Raffaello Recessed

Color : White  
Rated power : 8000W  
Rated voltage : 250V  
Rated current : 32A  
Terminal : Left / Right  
Length:500mm/600mm/750mm/1000mm



Raffaello Recessed

Color : Grey  
Rated power : 8000W  
Rated voltage : 250V  
Rated current : 32A  
Terminal : Left / Right  
Length:500mm/600mm/750mm/1000mm



Raffaello Adapter

Model : RA-SG-BK  
Color : Black  
Rated power : 3250W  
Rated voltage : 250V  
Rated current : 13A



Raffaello Adapter

Model : RA-SG-WH  
Color : White  
Rated power : 3250W  
Rated voltage : 250V  
Rated current : 13A



Raffaello Adapter

Model : RA-SG-GY  
Color : White  
Rated power : 3250W  
Rated voltage : 250V  
Rated current : 13A

Tiziano series

Tiziano Wall-mounted

ART.No.	Terminal	Length	Configuration	Color
TI-W-BK50L	Left	500mm	1 Power track 2 Mounting plates	Black
TI-W-BK60L		600mm		Black
TI-W-BK75L		750mm		Black
TI-W-BK100L		1000mm		Black
TI-W-BK50R	Right	500mm		Black
TI-W-BK60R		600mm		Black
TI-W-BK75R		750mm		Black
TI-W-BK100R		1000mm		Black
TI-W-WH50L	Left	500mm		White
TI-W-WH60L		600mm		White
TI-W-WH75L		750mm		White
TI-W-WH100L		1000mm		White
TI-W-WH50R	Right	500mm		White
TI-W-WH60R		600mm		White
TI-W-WH75R		750mm		White
TI-W-WH100R		1000mm		White

Wall-mounted with USB charger & LED light strip

ART.No.	Terminal	Length	Configuration	Color
TI-L-BK50L	Left	500mm	1 Power track 1 USB Type A+C 2 Mounting plates	Black
TI-L-BK60L		600mm		Black
TI-L-BK75L		750mm		Black
TI-L-BK100L		1000mm		Black
TI-L-BK50R	Right	500mm		Black
TI-L-BK60R		600mm		Black
TI-L-BK75R		750mm		Black
TI-L-BK100R		1000mm		Black
TI-L-WH50L	Left	500mm		White
TI-L-WH60L		600mm		White
TI-L-WH75L		750mm		White
TI-L-WH100L		1000mm		White
TI-L-WH50R	Right	500mm		White
TI-L-WH60R		600mm		White
TI-L-WH75R		750mm		White
TI-L-WH100R		1000mm		White

Tiziano series

Tiziano Wall-mounted with USB charger

ART.No.	Terminal	Length	Configuration	Color
TI-U-BK50L	Left	500mm	1 Power track 1 USB Type A+C 2 Mounting plates	Black
TI-U-BK60L		600mm		Black
TI-U-BK75L		750mm		Black
TI-U-BK100L		1000mm		Black
TI-U-BK50R	Right	500mm		Black
TI-U-BK60R		600mm		Black
TI-U-BK75R		750mm		Black
TI-U-BK100R		1000mm		Black
TI-U-WH50L	Left	500mm		White
TI-U-WH60L		600mm		White
TI-U-WH75L		750mm		White
TI-U-WH100L		1000mm		White
TI-U-WH50R	Right	500mm		White
TI-U-WH60R		600mm		White
TI-U-WH75R		750mm		White
TI-U-WH100R		1000mm		White

Tiziano Adaptor

ART.No.	Socket	Length	Configuration	Color
TI-SG-BK	British	500mm	CD pattern rim	Black
TI-SG-WH		600mm	Blue LED light	White

Raffaello series

Raffaello Wall-mounted

ART.No.	Terminal	Length	Configuration	Color
RA-W-BK50L	Left	500mm	1 Power track  2 Magnetic mounting plates	Black
RA-W-BK60L		600mm		Black
RA-W-BK75L		750mm		Black
RA-W-BK100L		1000mm		Black
RA-W-BK50R	Right	500mm		Black
RA-W-BK60R		600mm		Black
RA-W-BK75R		750mm		Black
RA-W-BK100R		1000mm		Black
RA-W-WH50L	Left	500mm		White
RA-W-WH60L		600mm		White
RA-W-WH75L		750mm		White
RA-W-WH100L		1000mm		White
RA-W-WH50R	Right	500mm		White
RA-W-WH60R		600mm		White
RA-W-WH75R		750mm		White
RA-W-WH100R		1000mm		White
RA-W-GY50L	Left	500mm		Grey
RA-W-GY60L		600mm		Grey
RA-W-GY75L		750mm		Grey
RA-W-GY100L		1000mm		Grey
RA-W-GY50R	Right	500mm		Grey
RA-W-GY60R		600mm		Grey
RA-W-GY75R		750mm		Grey
RA-W-GY100R		1000mm		Grey

Raffaello series

Raffaello Recessed

ART.No.	Terminal	Length	Configuration	Color
RA-R-BK50L	Left	500mm	1 Power track  1 Mounting plate	Black
RA-R-BK60L		600mm		Black
RA-R-BK75L		750mm		Black
RA-R-BK100L		1000mm		Black
RA-R-BK50R	Right	500mm		Black
RA-R-BK60R		600mm		Black
RA-R-BK75R		750mm		Black
RA-R-BK100R		1000mm		Black
RA-R-WH50L	Left	500mm		White
RA-R-WH60L		600mm		White
RA-R-WH75L		750mm		White
RA-R-WH100L		1000mm		White
RA-R-WH50R	Right	500mm		White
RA-R-WH60R		600mm		White
RA-R-WH75R		750mm		White
RA-R-WH100R		1000mm		White
RA-R-GY50L	Left	500mm		Grey
RA-R-GY60L		600mm		Grey
RA-R-GY75L		750mm		Grey
RA-R-GY100L		1000mm		Grey
RA-R-GY50R	Right	500mm		Grey
RA-R-GY60R		600mm		Grey
RA-R-GY75R		750mm		Grey
RA-R-GY100R		1000mm		Grey

Raffaello Adaptor

ART.No.	Socket	Diameter	Configuration	Color
RA-SG-BK	British	56mm	Electroplating rim	Black
RA-SG-WH			Blue LED light	Black
RA-SG-GY				Black



Manufacturer : Singapore Gler Technology Development Pte.Ltd.

E-mail : [hello@glr.sg](mailto:hello@glr.sg)

Web : [www.glr.sg](http://www.glr.sg)

207 Bedok South Avenue 3, Singapore 469304

Sole distributor : Audax Visuals Pte Ltd

E-mail : [sales@audax.com.sg](mailto:sales@audax.com.sg)

Telephone : +65 6749 9810

63 Ubi Avenue 1, #07-02, Singapore 408937