

CHEEGEEN

1100 Lower Delta Road, #01-03, EPL Building,
Singapore 169206
www.cheegeen.com



VINYL SPC LVT FLOORING




Certification

Vinyl flooring that's **engineered for health, safety, and environmental compliance** goes beyond just being a durable and aesthetically pleasing floor covering.

It means the product has been proactively designed and manufactured with a strong commitment to minimizing its impact on human well-being and the planet.



CHEEGEEN




Chee Geen collections are produced with highly coordinated line.

Chee Geen has backed with the factory that has advanced production equipment, a strong R&D team, strict quality management, premium quality customized services, providing our customers powerful solutions to increase market values.

CHEE GEEN

SPC Flooring

Wood Series



P/S: Pad sell separately.

Description	Definition
Thickness	5mm
Wear resistant layer thickness	0.30mm
Micro-scratch resistance	MSR-B2
Size	1220mm x 220mm x 5mm



Slip resistance
防滑



Fire retardant
阻燃



Wear resistance
耐磨



Peel resistance
抗剥离性

CGSPC-WD1021010

CGSPC-WD1221012

CGSPC-WD1421014

CHEEGEEN

SPC Flooring




SPC Flooring



CGSPC-WD10
21010

CHEEGEEN

SPC Flooring



CHEEGEEN

SPC Flooring



CGSPC-WD14
21014

CHEEGEEN



P/S: Pad sell separately.

Description	Definition
Thickness	5mm
Wear resistant layer thickness	0.30mm
Micro-scratch resistance	MSR-B2
Size	610mm x 305mm x 5mm




Slip resistance
防滑



Fire retardant
阻燃



Wear resistance
耐磨



Peel resistance
抗剥离性


CGSPC-ST17 21017

SPC Flooring



CGSPC-ST17
21017

CHEEGEEN



P/S: Pad sell separately.

Description	Definition
Thickness	5mm
Wear resistant layer thickness	0.30mm
Micro-scratch resistance	MSR-B2
Size	610mm x 305mm x 5mm



Slip resistance
防滑



Fire retardant
阻燃



Wear resistance
耐磨



Peel resistance
抗剥离性




SPC Flooring



CGSPC-CP31
21031

CHEEGEEN

SPC Flooring




CGSPC-CP23 21023

CHEEGEEN

LVT Flooring

Wood Series



Description	Definition
Thickness	5mm
Wear resistant layer thickness	0.30mm
Micro-scratch resistance	MSR-B2
Size	1220mm x 228mm x 5mm



Slip resistance
防滑



Fire retardant
防火



Wear resistance
耐磨



Peel resistance
抗剥离性

CGLVT-WD53 73053

CGLVT-WD54 73054

CGLVT-WD57 73057

CGLVT-WD52 73052

LVT Flooring

Wood Series

CGLVT-WD53 73053

CGLVT-WD54 73054

CGLVT-WD57 73057

CGLVT-WD60 73060

CGLVT-WD58 73058

CHEEGEEN

LVT Flooring



CGLVT-WD52 73052

CHEEGEEN

LVT Flooring



CGLVT-WD53 73053

CHEEGEEN



CGLVT-WD54 73054

LVT Flooring



CGLVT-WD57 73057

LVT Flooring



CGLVT-WD58 73058

CHEEGEEN

LVT Flooring



CGLVT-WD60 73060

The successful installation of SPC vinyl flooring, renowned for its exceptional durability, water resistance, and modern aesthetic, extends beyond merely laying the planks.

A truly professional and long-lasting finish hinges on the strategic use of essential accessories: **skirting**, **T-moulders**, and **reducers**. These components are not just decorative additions; they play critical roles in concealing expansion gaps, providing seamless transitions between different flooring surfaces, and protecting the edges of the vinyl planks.

This introduction will delve into the vital functions of each of these accessories, highlighting how they contribute to both the structural integrity and visual appeal of an SPC flooring installation, ensuring a cohesive and durable flooring solution.



Reducer



Skirting



T-Mod

CHEEGEEN